



# OCTG PRODUCT CATALOG

## ABSTRACT

- Tubing
- Casing

ERA Energy Service



## ERA Energy Services Pty Ltd

ABN: 86 160 665 261  
Level 8, 200 Mary Street, Brisbane, QLD 4000, Australia  
Phone: +61 7 3184 3184  
Email: info@eraenergy.com.au www.eraenergy.com.au



Pup joint in Arrow's warehouse



Range 2, 7 in K55 Casing in Client's warehouse



Casing transportation to Client's Warehouse



Tubing stocked in ERA's Warehouse



API Tubing

Labels				Nominal Linear masses <sup>a,b</sup>			Wall	Type of End - finish							
1	2			O.D. (in)	Non-upset T&C (lb/ft)	Ext. upset T&C (lb/ft)	Integ. Joint (lb/ft)	Thickness (in)	Type of End - finish						
	NU T&C	EU T&C	IJ						H40	J55	L80/R95	N80 Type1.Q	C90	T95	P110
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
2-3/8	4.00	-	-	2.375	4.00	-	-	0.167	PN	PN	PN	PN	PN	PN	-
	4.60	4.70	-	2.375	4.60	4.70	-	0.190	PNU	PNU	PNU	PNU	PNU	PNU	PNU
	5.80	5.95	-	2.375	5.80	5.95	-	0.254	-	-	PNU	PNU	PNU	PNU	PNU
	6.60	-	-	2.375	6.60	-	-	0.295	-	-	P	-	P	P	-
	7.35	7.45	-	2.375	7.35	7.45	-	0.336	-	-	PU	-	PU	PU	-
2-7/8	6.40	6.50	-	2.875	6.40	6.50	-	0.217	PNU	PNU	PNU	PNU	PNU	PNU	PNU
	7.80	7.90	-	2.875	7.80	7.90	-	0.276	-	-	PNU	PNU	PNU	PNU	PNU
	8.60	8.70	-	2.875	8.60	8.70	-	0.308	-	-	PNU	PNU	PNU	PNU	PNU
	9.35	9.45	-	2.875	9.35	9.45	-	0.340	-	-	PU	-	PU	PU	-
	10.50	-	-	2.875	10.50	-	-	0.392	-	-	P	-	P	P	-
	11.50	-	-	2.875	11.50	-	-	0.440	-	-	P	-	P	P	-
3-1/2	7.70	-	-	3.500	7.70	-	-	0.216	PN	PN	PN	PN	PN	PN	-
	9.20	9.30	-	3.500	9.20	9.30	-	0.254	PNU	PNU	PNU	PNU	PNU	PNU	PNU
	10.20	-	-	3.500	10.20	-	-	0.289	PN	PN	PN	PN	PN	PN	-
	12.70	12.95	-	3.500	12.70	12.95	-	0.375	-	-	PNU	PNU	PNU	PNU	PNU
	14.30	-	-	3.500	14.30	-	-	0.430	-	-	P	-	P	P	-
	15.50	-	-	3.500	15.50	-	-	0.476	-	-	P	-	P	P	-
	17.00	-	-	3.500	17.00	-	-	0.530	-	-	P	-	P	P	-



API Casing

Spec (in)	Weight (lb/ft)	Outside Diameter (in)	Wall Thickness (in)	Drift Diameter (in)	Plain End Wpe (lb/ft)	Type of Pipe End-finish*							
						J55/K55	M65	L80/R95	N80	C90/T95	C110	P110	Q125
4 1/2	9.5	4.5	0.205	3.965	9.41	PS	PS	-	-	-	-	-	-
	10.5	4.5	0.224	3.927	10.24	PSB	PSB	-	-	-	-	-	-
	11.6	4.5	0.25	3.875	11.36	PSLB	PLB	PLB	PLB	PLB	P	PLB	-
	13.5	4.5	0.29	3.795	13.05	-	PLB	PLB	PLB	PLB	P	PLB	-
	15.1	4.5	0.337	3.701	15.00	-	-	-	-	-	-	PLB	PLB
5	11.5	5	0.22	4.435	11.24	PS	PS	-	-	-	-	-	-
	13.0	5	0.253	4.369	12.84	PSLB	PSLB	-	-	-	-	-	-
	15.0	5	0.296	4.283	14.88	PSLB	PLB	PLB	PLB	PLB	P	PLB	-
	18.0	5	0.362	4.151	17.95	-	PLB	PLB	PLB	PLB	P	PLB	PLB
	21.4	5	0.437	4.001	21.32	-	PLB	PLB	PLB	PLB	P	PLB	PLB
	23.2	5	0.478	3.919	23.11	-	-	PLB	PLB	PLB	P	PLB	PLB
5 1/2	24.1	5	0.5	3.875	24.05	-	-	PLB	PLB	PLB	P	PLB	PLB
	14.0	5.5	0.224	4.887	13.71	PS	PS	-	-	-	-	-	-
	15.5	5.5	0.275	4.825	15.36	PSLB	PSLB	-	-	-	-	-	-
	17.0	5.5	0.304	4.767	16.89	PSLB	PLB	PLB	PLB	PLB	P	PLB	-
	20.0	5.5	0.361	4.653	19.83	-	PLB	PLB	PLB	PLB	P	PLB	-
	23.0	5.5	0.415	4.545	22.56	-	PLB	PLB	PLB	PLB	P	PLB	PLB
	26.8	5.5	0.5	4.375	26.72	-	-	-	-	P	P	-	-
6 5/8	29.7	5.5	0.562	4.251	29.67	-	-	-	-	P	P	-	-
	20.0	6.625	0.228	5.924	19.51	PSLB	PSLB	-	-	-	-	-	-
	24.0	6.625	0.352	5.796	23.60	PSLB	PLB	PLB	PLB	PLB	P	PLB	-
	28.0	6.625	0.417	5.666	27.67	-	PLB	PLB	PLB	PLB	P	PLB	-
7	32.0	6.625	0.475	5.550	31.23	-	-	PLB	PLB	PLB	P	PLB	PLB
	17.0	7	0.231	6.413	16.72	-	-	-	-	-	-	-	-
	20.0	7	0.272	6.331	19.56	PS	PS	-	-	-	-	-	-
	23.0	7	0.317	6.241	22.65	PSLB	PLB	PLB	PLB	PLB	P	-	-
	26.0	7	0.362	6.151	25.69	PSLB	PLB	PLB	PLB	PLB	P	PLB	-
	29.0	7	0.408	6.059	28.75	-	PLB	PLB	PLB	PLB	P	PLB	-
	32.0	7	0.453	5.969	31.70	-	PLB	PLB	PLB	PLB	P	PLB	-
	35.0	7	0.498	5.879	34.61	-	-	PLB	PLB	PLB	P	PLB	PLB
	38.0	7	0.54	5.795	37.29	-	-	PLB	PLB	PLB	P	PLB	PLB
7 5/8	24.0	7.625	0.3	6.900	23.49	-	-	-	-	-	-	-	-
	26.2	7.625	0.328	6.844	25.59	PSLB	PSLB	PLB	PLB	PLB	P	-	-
	29.7	7.625	0.375	6.750	29.06	-	PLB	PLB	PLB	PLB	P	PLB	-
	33.7	7.625	0.43	6.640	33.07	-	PLB	PLB	PLB	PLB	P	PLB	-
	39.0	7.625	0.5	6.500	38.08	-	-	PLB	PLB	PLB	P	PLB	PLB
	42.8	7.625	0.562	6.376	42.43	-	-	PLB	PLB	PLB	P	PLB	PLB
7 3/4	45.3	7.625	0.595	6.310	44.71	-	-	PLB	PLB	PLB	P	PLB	PLB
	46.1	7.750	0.595	6.435	45.51	-	-	P	P	P	P	P	P



# ERA Energy Services Pty Ltd

ABN: 86 160 665 261  
 Level 8, 200 Mary Street, Brisbane, QLD 4000, Australia  
 Phone: +61 7 3184 3184  
 Email: info@eraenergy.com.au www.eraenergy.com.au

Spec (in)	Weight (lb/ft)	Outside Diameter (in)	Wall Thickness (in)	Drift Diameter (in)	Plain End Wpe (lb/ft)	Type of Pipe End-finish*							
						J55/K55	M65	L80/R95	N80	C90/T95	C110	P110	Q125
8 5/8	24.0	8.625	0.264	7.972	23.60	PS	PS	-	-	-	-	-	-
	28.0	8.625	0.304	7.892	27.04	-	PS	-	-	-	-	-	-
	32.0	8.625	0.352	7.796	31.13	PSLB	PSLB	-	-	-	-	-	-
	36.0	8.625	0.4	7.700	35.17	PSLB	PSLB	PLB	PLB	PLB	P	-	-
	40.0	8.625	0.45	7.600	39.33	-	PLB	PLB	PLB	PLB	P	PLB	-
	44.0	8.625	0.5	7.500	43.43	-	-	PLB	PLB	PLB	P	PLB	-
	49.0	8.625	0.557	7.286	48.04	-	-	PLB	PLB	PLB	P	PLB	PLB
9 5/8	32.3	9.625	0.312	8.845	31.06	-	-	-	-	-	-	-	-
	36.0	9.625	0.352	8.765	34.89	PSLB	PSLB	-	-	-	-	-	-
	40.0	9.625	0.395	8.679	38.97	PSLB	PSLB	PLB	PLB	PLB	P	-	-
	43.5	9.625	0.435	8.599	42.37	-	PLB	PLB	PLB	PLB	P	PLB	-
	47.0	9.625	0.472	8.525	46.18	-	PLB	PLB	PLB	PLB	P	PLB	PLB
	53.5	9.625	0.545	8.379	52.90	-	-	PLB	PLB	PLB	P	PLB	PLB
	58.4	9.625	0.595	8.279	57.44	-	-	PLB	PLB	PLB	P	PLB	PLB
10 3/4	32.75	10.75	0.279	10.036	31.23	-	-	-	-	-	-	-	-
	40.5	10.75	0.35	9.894	38.91	PSB	PSB	-	-	-	-	-	-
	45.5	10.75	0.40	9.794	44.26	PSB	PSB	-	-	-	-	-	-
	51.0	10.75	0.45	9.694	49.55	PSB	PSB	PSB	PSB	PSB	P	PSB	-
	55.5	10.75	0.495	9.604	54.26	-	PSB	PSB	PSB	PSB	P	PSB	-
	60.7	10.75	0.545	9.504	59.46	-	-	-	-	PSB	P	PSB	PSB
	65.7	10.75	0.595	9.404	64.59	-	-	-	-	PSB	P	PSB	PSB
11 3/4	42.0	11.75	0.333	10.928	40.64	-	-	-	-	-	-	-	-
	47.0	11.75	0.375	10.844	45.60	PSB	PSB	-	-	-	-	-	-
	54.0	11.75	0.435	10.724	52.62	PSB	PSB	-	-	-	-	-	-
	60.0	11.75	0.489	10.616	58.87	PSB	PSB	PSB	PSB	PSB	P	PSB	PSB
	65.0	11.75	0.534	10.526	64.03	-	-	P	P	P	P	P	P
	71.0	11.75	0.582	10.430	69.48	-	-	P	P	P	P	P	P
13 3/8	48.0	13.375	0.330	12.559	46.02	-	-	-	-	-	-	-	-
	54.5	13.375	0.380	12.459	52.79	PSB	PSB	-	-	-	-	-	-
	61.0	13.375	0.430	12.359	59.50	PSB	PSB	-	-	-	-	-	-
	68.0	13.375	0.480	12.259	66.17	PSB	PSB	PSB	PSB	PSB	P	PSB	-
	72.0	13.375	0.514	12.191	70.67	-	-	PSB	PSB	PSB	P	PSB	PSB
16	65.0	16.0	0.375	15.062	62.64	-	-	-	-	-	-	-	-
	75.0	16.0	0.438	14.936	72.86	PSB	PSB	-	-	-	-	-	-
	84.0	16.0	0.495	14.822	82.05	PSB	PSB	-	-	-	-	-	-
	109.0	16.0	0.656	14.500	107.60	P	-	P	P	-	-	P	P
18 5/8	87.5	18.625	0.435	17.567	84.59	PSB	PSB	-	-	-	-	-	-
20	94.0	20.0	0.438	18.936	91.59	PSLB	PSLB	-	-	-	-	-	-
	106.5	20.0	0.500	18.812	104.23	PSLB	PSLB	-	-	-	-	-	-
	133.0	20.0	0.635	18.542	131.45	PSLB	-	-	-	-	-	-	-